Contents Volume 81, 1990

Research Papers

Palaeobiogeography of Ordovician calcareous algae
J. Poncet (Caen, France) and A. Roux (Fontenay-Trésigny, France) 1
Thermally-anomalous Holocene molluscan assemblages from coastal Peru: evidence for paleogeographic, not climatic change
T. J. DeVries (Columbia, SC, USA) and L. E. Wells (Berkeley, CA, USA) 11
Lower Eocene carbonate facies, environments and sedimentary cycles in Upper Egypt: evidence for global sea-level changes
E. A. Kaheila and A. A. M. El-Ayyat (Assuit, Egypt) 33
Major element geochemistry and paleoclimatology of the Permo-Carboniferous glacigene Dwyka Formation and post-glacial mudrocks in southern Africa
J. N. J. Visser (Bloemfontein, South Africa) and G. M. Young (London, Canada) 49
Reworked pollen assemblages and the Eocene–Oligocene boundary in the Paleogene of the western external French Alps
J. Médus (Marseille, France) and J. L. Pairis (Grenoble, France) 59
Sedimentation–calcrete cycles in the Mesozoic Red Formations from the central High Atlas (Telouet area), Morocco
J. Lang (Dijon, France), M. L. Mahdoudi (Marrakech, Maroc) and A. Pascal (Dijon, France) 79
Quaternary deposits and landscape evolution in northeast Southland, New Zealand
P. D. McIntosh (Dunedin, New Zealand), D. N. Eden (Lower Hutt, New Zealand) and S. J. Burgham (Lincoln, New Zealand) 95
Mid-Cretaceous palaeogeographical evolution of the central Basque-Cantabrian Basin (northern Spain)
P. A. Fernandez-Mendiola and J. García-Mondejar (Bilbao, Spain) 115
Flying spiriferids: some thoughts on the life style of a Devonian spiriferid brachiopod
F. G. Blight (Panorama, Australia) and D. F. Blight (Kalgoorlie, Australia) 127
Les Brachiopodes Chonetacés dans les assemblages benthiques siluriens et devoniens. [The chonetacean brachiopods within Silurian and Devonian benthic assemblages]
P. R. Racheboeuf (Villeurbanne, France) 141
Palaeoclimatic significance of changes in clay mineralogy across the Jurassic–Cretaceous boundary in England and France
A. Hallam (Birmingham, U.K.), J. A. Grose (London, U.K.) and A. H. Ruffell (Belfast, U.K.) 173
Change in the size of Walker Lake during the past 5000 years
L. V. Benson (Boulder, CO, U.S.A.), P. A. Meyers (Ann Arbor, MI, U.S.A.) and R. J. Spencer (Calgary, Canada) 189
Late Quaternary climatic changes on the southwestern Balearic slope (Western Mediterranean): isotopic, faunal, and mineralogical relationships
A. Vazquez (Barcelona, Spain), I. Zamarreño (Barcelona, Spain), E. Reyes (Granada, Spain) and J. Linares (Granada, Spain) 215
Lithofacies relationships in a late Quaternary gravel and loess fan delta complex, New Zealand
D. W. Lewis (Christchurch, New Zealand) and A. A. Ekdale (Salt Lake City, Utah, U.S.A.) 229
Trace fossils and paleoenvironmental control of ichnofacies in a late Quaternary gravel and loess fan delta complex, New Zealand
A. A. Ekdale (Salt Lake City, Utah, U.S.A.) and D. W. Lewis (Christchurch, New Zealand) 253
Taphonomy and depositional setting of Careless Creek Quarry (Judith River Formation), Wheatland County, Montana, U.S.A.
A. R. Fiorillo (Pittsburgh, PA, U.S.A.) 281
Cretaceous black shales of Venezuelan Andes: preliminary results on stratigraphy and paleoenvironmental interpretations
N. P. Tribovillard (Genève, Switzerland), J.-F. Stephan (Nice, France), H. Manivit (Orléans, France), Y. Reyre (Avignon, France), P. Cotillon (Villeurbanne, France) and E. Jautée (Villeurbanne, France) 313
Comportement d'une bordure de massifs anciens et cortèges de minéraux argileux: l'exemple de la bordure occidentale du Bassin Anglo-Parisien au Callovo-Oxfordien. [Epirogenic evolution on a border of ancient massifs and clay mineral distribution: the western border of the Anglo-Paris Basin (from Callovian to Oxfordian; S. England, N.W. France)].
O. Dugué (Caen, France) 323